

2020 Consumer Confidence Report for Public Water System

CITY OF MANOR

This is your water quality report for January 1 to December 31, 2020

For more information regarding this report contact:

CITY OF MANOR provides surface water and ground water from River Alluvium Aquifer in Travis County, Manville WSC, 130 REGIONAL WSC, and City of Austin.

Name Michael Tuley

Phone (512) 272-5555 Ext. 3

Este reporte incluye información importante sobre el agua para tomar. Para asistencia en español, favor de llamar al teléfono (512)-272-5555.

Definitions and Abbreviations

Definitions and Abbreviations	The following tables contain scientific terms and measures, some of which may require explanation.
Action Level:	The concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.
Avg:	Regulatory compliance with some MCLs are based on running annual average of monthly samples.
Level 1 Assessment:	A Level 1 assessment is a study of the water system to identify potential problems and determine (if possible) why total coliform bacteria have been found in our water system.
Level 2 Assessment:	A Level 2 assessment is a very detailed study of the water system to identify potential problems and determine (if possible) why an E. coli MCL violation has occurred and/or why total coliform bacteria have been found in our water system on multiple occasions.
Maximum Contaminant Level or MCL:	The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.
Maximum Contaminant Level Goal or MCLG:	The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.
Maximum residual disinfectant level or MRDL:	The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.
Maximum residual disinfectant level goal or MRDLG:	The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.
MFL	million fibers per liter (a measure of asbestos)
mrem:	millirems per year (a measure of radiation absorbed by the body)
na:	not applicable.
NTU	nephelometric turbidity units (a measure of turbidity)
pCi/L	picocuries per liter (a measure of radioactivity).
Definitions and Abbreviations	
ppb: micrograms per liter or parts per billion	or one ounce in 7,350,000 gallons of water.
ppm: milligrams per liter or parts per million -	or one ounce in 7,350 gallons of water.
ppq	parts per quadrillion, or picograms per liter (pg/L)
ppt parts per trillion,	or nanograms per liter (ng/L)
Treatment Technique or TT:	A required process intended to reduce the level of a contaminant in drinking water.

Information about your Drinking Water

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally-occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity.

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the EPA's Safe Drinking Water Hotline at (800) 426-4791.

Contaminants that may be present in source water include:

- Microbial contaminants, such as viruses and bacteria, which may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife.
- Inorganic contaminants, such as salts and metals, which can be naturally-occurring or result from urban storm water runoff, industrial or domestic wastewater discharges, oil and gas production, mining, or farming.
- Pesticides and herbicides, which may come from a variety of sources such as agriculture, urban storm water runoff, and residential uses.
- Organic chemical contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations, urban storm water runoff, and septic systems.
- Radioactive contaminants, which can be naturally-occurring or be the result of oil and gas production and mining activities.

In order to ensure that tap water is safe to drink, EPA prescribes regulations which limit the amount of certain contaminants in water provided by public water systems. FDA regulations establish limits for contaminants in bottled water which must provide the same protection for public health.

Contaminants may be found in drinking water that may cause taste, color, or odor problems. These types of problems are not necessarily causes for health concerns. For more information on taste, odor, or color of drinking water, please contact the system's business office.

You may be more vulnerable than the general population to certain microbial contaminants, such as *Cryptosporidium*, in drinking water. Infants, some elderly, or immunocompromised persons such as those undergoing chemotherapy for cancer; persons who have undergone organ transplants; those who are undergoing treatment with steroids; and people with HIV/AIDS or other immune system disorders, can be particularly at risk from infections. You should seek advice about drinking water from your physician or health care providers. Additional guidelines on appropriate means to lessen the risk of infection by *Cryptosporidium* are available from the Safe Drinking Water Hotline (800-426-4791).

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. We are responsible for providing high quality drinking water, but we cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at <http://www.epa.gov/safewater/lead>.

Information about Source Water

Source Water Name	Type of Water	Report Status	Address	County
City of Manor				
1 - Well #1 G2270241A	GW	Active	5211 GILBERT LN	Travis
2 - Well #2 G2270241B	GW	Active	4905 GILBERT LN	Travis
3 - Well #3 G2270241C	GW	Active	5313 GILBERT LN	Travis

Lead and Copper

Lead and Copper	Date Sampled	MCLG	Action Level (AL)	90th Percentile	# Sites Over AL	Units	Violation	Likely Source of Contamination
Copper	2019	1.3	1.3	0.194	0	ppm	N	Erosion of natural deposits; Leaching from wood preservatives; Corrosion of household plumbing systems.
Lead	2019	0	15	2.1	0	ppb	N	Corrosion of household plumbing systems; Erosion of natural deposits.

2020 Water Quality Test Results

Disinfectants and Disinfection By-Products	Collection Date	Highest Level Detected	Range of Levels Detected	MCLG	MCL	Units	Violation	Likely Source of Contamination
Haloacetic Acids (HAA5)*	2020	11	1.2 – 17.6	No goal for the total	60	ppb	N	By-product of drinking water disinfection.

*{The value in the Highest Level or Average Detected column is the highest average of all HAA5 sample results collected at a location over a year}

Total Trihalomethanes (TTHM)	2020	52	13.1 – 59.9	No goal for the total	80	ppb	N	By-product of drinking water disinfection.
-------------------------------------	------	----	-------------	-----------------------	----	-----	---	--

* The value in the Highest Level or Average Detected column is the highest average of all TTHM sample results collected at a location over a year'

Inorganic Contaminants	Collection Date	Highest Level Detected	Range of Levels Detected	MCLG	MCL	Units	Violation	Likely Source of Contamination
Barium	2018	0.0664	0.0664 - 0.0664	2	2	ppm	N	Discharge of drilling wastes; Discharge from metal refineries; Erosion of natural deposits.
Fluoride	2018	0.29	0.29 - 0.29	4	4.0	ppm	N	Erosion of natural deposits; Water additive which promotes strong teeth; Discharge from fertilizer and aluminum factories.
Nitrate [measured as Nitrogen]	2020	2	0.08 - 2.03	10	10	ppm	N	Runoff from fertilizer use; Leaching from septic tanks, sewage; Erosion of natural deposits.

Radioactive Contaminants	Collection Date	Highest Level Detected	Range of Levels Detected	MCLG	MCL	Units	Violation	Likely Source of Contamination
Beta/photon emitters	08/04/2015	4.1	4.1 - 4.1	0	50	mrem/yr	N	Decay of natural and man-made deposits

*EPA considers 50 pCi/L to be the level of concern for beta particles.

Uranium	08/04/2015	1.9	1.9 - 1.9	0	30	ug/l	N	Erosion of natural deposits.
---------	------------	-----	-----------	---	----	------	---	------------------------------

Synthetic organic contaminants including pesticides and herbicides	Collection Date	Highest Level Detected	Range of Levels Detected	MRDL	MRDLG	Units	Violation	Likely Source of Contamination
Atrazine	2020	0.13	0.13 - 0.13	0	50	ppb	N	Runoff from herbicide used on row crops.

Residual Disinfectant Level

Year	Disinfectant	Highest Level Detected	Range of Levels Detected	Average Level	MCL	MRDLG	Units	Violation	Source of Contaminant
2022	Free Chlorine	2.80	0.32– 3.20	1.36	4.0	< 4.0	ppm	N	Disinfectant used to control microbes

Secondary and Other Constituents Not Regulated (No associated adverse health effects)

Unregulated Contaminants/ Proposed Standards

Bromoform, bromoform, dichlorobromomethane, and dibromochloromethane are disinfection byproducts. There is no maximum level for these chemicals at the entry point to distribution.

Year	Disinfectant	Highest Level Detected	Range of Levels Detected	MCLG	MCL	Units	Violation	Source of Contaminant
2020	Chloroform	35.3	1.1 – 35.3	N/A	N/A	ppb	N	Byproduct of drinking water disinfection.
2020	Bromoform	18.9	1.3 – 18.9	N/A	N/A	ppb	N	Byproduct of drinking water disinfection.
2020	Bromodichloromethane	12.5	2.4 – 12.5	N/A	N/A	ppb	N	Byproduct of drinking water disinfection.
2019	Dibromochloromethane	25.9	4.0 – 25.9	N/A	N/A	ppb	N	Byproduct of drinking water disinfection.

Secondary and Other Constituents Not Regulated (No associated adverse health effects)

Year	Contaminant	Range of Levels Detected	Highest Level Detected	Secondary	Units	Source of Contaminant
2018	Bicarbonate (Alkalinity)	283 – 283	283	N/A	ppm	Corrosion of carbonate rocks such as limestone
2018	Calcium	9.93 – 83.7	83.7	N/A	ppm	Abundant naturally occurring element.
2019	Chloride	12 – 56.9	56.9	300	ppm	Abundant naturally occurring element; used in water; by-product of oil field activity.
2019	Iron	0.001 – 0.093	0.093	0.3	ppm	Erosion of natural deposits; iron or steel water delivery equipment or facilities.
2018	Magnesium	10.6 – 10.6	10.6	N/A	ppm	Abundant naturally occurring element.
2019	Manganese	0.002 – 0.036	0.036	0.05	ppm	Abundant naturally occurring element.
2018	Nickel	0.0019 – 0.0019	0.0019	N/A	ppm	Erosion of natural deposits.
2019	Sodium	41.2 – 93.8	93.8	N/A	ppm	Erosion of natural deposits; byproduct of oil field activity.
2019	Sulfate	6-34.1	34.1	300	ppm	Naturally occurring; common industrial byproduct; by-product of oil field activity.
2019	Total Dissolved Solids (TDS)	212 – 396	396	1000	ppm	Total dissolved mineral constituents in water.
2019	Total Hardness as CaCO ₃	39.6 – 246	246	N/A	ppm	Naturally occurring calcium.
2018	Zinc	0.0163 -0.0163	0.0163	5	ppm	Moderately abundant naturally occurring element used in the metal industry

Manville WSC Consumer Confidence Report Data 2020

Information about Source Water

Manville WSC	Type of Water	Report Status	Address	County
	GW	Active	Gregg Lane	Travis

Disinfection Byproducts

Year	Disinfectant	Highest Level Detected	Range of Levels Detected	MRDLG	MCL	Units	Violation	Source of Contaminant
2020	Total Haloacetic Acids	22	8.2-24.6	No goal for the total	60	ppb	N	By-product of drinking water chlorination.

The value in the Highest Level or Average Detected column is the highest average of all HAA5 sample results collected at a location over a year

Year	Disinfectant	Highest Level Detected	Range of Levels Detected	MRDLG	MCL	Units	Violation	Source of Contaminant
2020	Total Trihalomethanes	81	61- 97.6	No goal for the total	60	ppb	N	By-product of drinking water chlorination.

The value in the Highest Level or Average Detected column is the highest average of all HAA5 sample results collected at a location over a year

Inorganic

Year	Contaminant	Highest Level Detected	Range of Levels Detected	MCLG	MCL	Violation	Units	Source of Contaminant
2019	Arsenic	2.7	2 – 2.7	0	2	10	ppm	Erosion of natural deposits; runoff from glass and electronics product wastes.
2019	Barium	0.142	0.046 – 0.142	2	2	N	ppm	Discharge of drilling wastes; Discharge from metal refineries; erosion of natural deposits.
2020	Fluoride	2.52	0.22 – 2.52	4	4	N	ppm	Erosion of natural deposits; water additive which promote strong teeth; discharge from fertilizer and aluminum factories
2019	Selenium	4.8	0 – 4.8	50	50	N	ppb	Discharge from petroleum and metal refineries; erosion of natural deposit; discharge of mines
2020	Nitrate (measured as Nitrogen)	2.56	<0.05-2.56	10	10	N	ppm	Runoff from fertilizer use; Leaching from septic tanks; sewage; Erosion of natural deposits.

Nitrate in drinking water at levels above 10 ppm is a health risk for infants of less than six months of age. High nitrate levels in drinking water can cause blue baby syndrome. Nitrate levels may rise quickly for short periods of time because of rainfall.

Radioactive Contaminants

Year	Contaminant	Highest Level Detected	Range of Levels Detected	MCLG	MCL	Violation	Units	Source of Contaminant
2017	Beta/photon emitters	4.4	<4.0 – 4.4	0	5	0	mrem/yr	Decay of natural and man-made deposits
2020	Combined Radium 226 & 228	1.8	1.8 – 1.8	0	5	0	pCi/L	Erosion of natural deposits
2020	Gross alpha excluding radon and uranium	7.1	7.1 - 7.1	0	5	0	pCi/L	Erosion of natural deposits, including pesticides.
2017	Uranium	2.3	<1 – 2.3	0	5	0	ug/l	Erosion of natural deposits.

Volatile Organic Contaminants

Year	Contaminant	Highest Level Detected	Range of Levels Detected	MCLG	MCL	Violation	Units	Source of Contaminant
2020	Xylenes	0.0007	0 – 0.0007	10	10	N	ppm	Discharge from petroleum factories. Discharge from chemical factories.

Unregulated Contaminants/ Proposed Standards.

Year	Disinfectant	Highest Level Detected	Range of Levels Detected	Violation	Units	Source of Contaminant
2020	Chloroform	19.6	<1.0-19.6	N	ppb	Byproduct of drinking water disinfection.
2020	Bromoform	13.5	<1.0-13.5	N	ppb	Byproduct of drinking water disinfection
2020	Bromodichloromethane	30	<1.0-30	N	ppb	Byproduct of drinking water disinfection
2020	Dibromochloromethane	35.2	<1.0-35.2	N	ppb	Byproduct of drinking water disinfection

6

Secondary and Other Constituents Not Regulated (No associated adverse health effects)

Year	Contaminant	Range of Levels Detected	Highest Level Detected	Secondary	Units	Source of Contaminant
2020	Bicarbonate	299-404	404	N/A	ppm	Corrosion of carbonate rocks such as limestone
2019	Calcium	10.3-121	121	N/A	ppm	Abundant naturally occurring element.
2020	Chloride	32-51	90	300	ppm	Abundant naturally occurring element; used in water; by-product of oil field activity.
2019	Iron	<0.01 -0.703	0.703	0.3	ppm	Erosion of natural deposits; iron or steel water delivery equipment or facilities.
2019	Magnesium	3.45-33	33	N/A	ppm	Abundant naturally occurring element.
2019	Manganese	<0.0010 – 0.0494	0.0494	0.05	ppm	Abundant naturally occurring element.
2019	Nickel	0.0012– 0.0045	0.0045	N/A	ppm	Erosion of natural deposits.
2019	Sodium	10.1-97	97	N/A	ppm	Erosion of natural deposits; byproduct of oil field activity.
2020	Sulfate	72-86	86	300	ppm	Naturally occurring; common industrial byproduct; by-product of oil field activity.
2019	Total Alkalinity as CaCO ₃	115-339	339	N/A	ppm	Naturally occurring soluble mineral salts
2019	Total Dissolved Solids	217-716	716	1000	ppm	Total dissolved mineral constituents in water.
2019	Total Hardness as CaCO ₃	38.9-381	381	N/A	ppm	Naturally occurring calcium.
2019	Zinc	0.0137-0.198	0.198	5	ppm	Moderately abundant naturally occurring element used in the metal industry

130 REGIONAL WSC Consumer Confidence Report Data 2020

130 REGIONAL WSC

Type of Water

Report Status

Address

County

GW

Active

Tower Lane

Travis

Disinfection Byproducts

Disinfectants and Disinfection By-Products	Collection Date	Highest Level Detected	Range of Levels Detected	MCLG	MCL	Units	Violation	Likely Source of Contamination
Total Trihalomethanes (TThm)*	2018	12.2	12.2 - 12.2	No goal for the total	60	ppb	N	By-product of drinking water disinfection.

Inorganic

Year	Contaminant	High	Average	MCL	MCLG	Units	Source of Contaminant
2020	Barium	0.141	0.141	2	2	ppm	Discharge of drilling wastes discharge; from metal refineries; erosion of natural deposits.
2020	Fluoride	0.16	0.16	4	4	ppm	Erosion of natural deposits; water additive which promote strong teeth; discharge from fertilizer and aluminum factories.
2020	Nitrate	<0.05	<0.05	10	10	ppm	Runoff from fertilizer use; Leaching from septic tanks; sewage; Erosion of natural deposits.

130 REGIONAL WSC Consumer Confidence Report Data 2020

Secondary and Other Constituents Not Regulated (No associated adverse health effects)

Year	Contaminant	High	Low	Average	Secondary	Units	Source of Contaminant
2020	Bicarbonate	227	227	227	N/A	ppm	Abundant naturally occurring element.
2020	Calcium	9.89	9.89	9.89	N/A	ppm	Abundant naturally occurring element.
2020	Chloride	17	17	17	300	ppm	Abundant naturally occurring element; used in water; by-product of oil field activity.
2020	Magnesium	3.26	3.26	3.26	N/A	ppm	Abundant naturally occurring element.
2020	Manganese	0.0163	0.0163	0.0163	0.05	ppm	Abundant naturally occurring element.
2020	Sodium	79.7	79.7	79.7	N/A	ppm	Erosion of natural deposits; byproduct of oil field activity.
2020	Total Alkalinity as CaCO ₃	186	186	186	N/A	ppm	Naturally occurring soluble mineral salts
2020	Total Dissolved Solids	241	241	241	1000	ppm	Total dissolved mineral constituents in water.
2020	Total Hardness as CaCO ₃	38.1	38.1	38.1	N/A	ppm	Naturally occurring calcium.

City of Austin 2020 Consumer Confidence Report Data 2020

130 REGIONAL WSC

Type of Water: Surface
 Report Status: As Needed
 Address: Us HWY 290
 County: Travis

Lead and Copper	Date Sampled	MCLG	Action Level (AL)	90th Percentile	# Sites Over AL	Units	Violation	Likely Source of Contamination
Copper	2018	1.3	1.3	0.0054	0	ppm	N	Erosion of natural deposits; Leaching from wood preservatives; Corrosion of household plumbing systems.

Inorganic Contaminants	Collection Date	Highest Level or Average Detected	Range of Individual Samples	MCLG	MCL	Units	Violation	Likely Source of Contamination
Barium	2020	0.012	0.009-0.012	2	2	ppm	N	Discharge of drilling wastes; Discharge from metal refineries; Erosion of natural deposits.
Cyanide	2020	110	<10 - 110	200	200	ppb	N	Discharge from plastic and fertilizer factories; Discharge from steel/metal factories.
Fluoride	2020	0.81	0.68-0.81	4	4.0	ppm	N	Erosion of natural deposits; Water additive which promotes strong teeth; Discharge from fertilizer and aluminum factories.
Nitrate [measured as Nitrogen]	2020	0.19	0.01-0.19	10	10	ppm	N	Runoff from fertilizer use; Leaching from septic tanks, sewage; Erosion of natural deposits.

Turbidity

	Level Detected	Limit (Treatment Technique)	Violation	Likely Source of Contamination
Highest single measurement	0.18 NTU	1 NTU	N	Soil runoff.
Lowest monthly % meeting limit	100%	0.3 NTU	N	Soil runoff.

Information Statement: Turbidity is a measurement of the cloudiness of the water caused by suspended particles. We monitor it because it is a good indicator of water quality and the effectiveness of our filtration system and disinfectants.

Disinfection byproducts regulated at treatment plant.

Year	Contaminant	Average Level	Minimum Level	Maximum Level	Units of Measure	Source of Contaminant
2020	TOC Removal Ratio (%).	2.02	1.58	2.6	AVG > = 1	NA

The Total Organic Carbon (TOC) removal ratio is the percent of TOC removed through the treatment process divided by the percent of TOC required by the TCEQ to be removed. TOC has no adverse health effects. TOC provides a medium for the formation of disinfection byproducts when water is disinfected. Disinfection is necessary to ensure that water does not have unacceptable levels of pathogens.

Unregulated Contaminants/ Proposed Standards

Bromoform, bromoform, dichlorobromomethane, and dibromochloromethane are disinfection byproducts. There is no maximum level for these chemicals at the entry point to distribution.

Year	Disinfectant	Highest Level Detected	Range of Levels Detected	MCLG	MCL	Violation	Units	Source of Contaminant
2020	Bromodichloromethane	12	7.0 – 12	0	N/A	N	ppb	Byproduct of drinking water disinfection
2020	Dibromochloromethane	12.6	6.6- 12.6	60	N/A	N	ppb	Byproduct of drinking water disinfection
2020	Chloroform	13.4	5.5 – 13.4	70	N/A	N	ppb	Byproduct of drinking water disinfection.
2020	Bromoform	4.3	1.1 – 4.3	0	N/A	N	ppb	Byproduct of drinking water disinfection
2020	Monochloroacetic Acid	3.3	<2.0 – 3.3	70	N/A	N	ppb	Byproduct of drinking water disinfection.
2020	Dichloroacetic Acid	9	4.4 – 9.0	0	N/A	N	ppb	Byproduct of drinking water disinfection.
2020	Trichloroacetic Acid	3.0	1.2 – 3.0	20	N/A	N	ppb	Byproduct of drinking water disinfection
2020	Dibromoacetic Acid	4.2	1.7 – 4.2	No MCLG	N/A	N	ppb	Byproduct of drinking water disinfection
2020	Bromochloromethane	5.8	3.4 – 5.8	No MCLG	N/A	N	ppb	Byproduct of drinking water disinfection
2019	HAA5* - five regulated haloacetic acids (ppb)	26.7	12.9 – 26.7	N/A	N/A	N	ppb	Byproduct of drinking water disinfection
2019	HAA6Br* - six brominated haloacetic acids (ppb)	17.2	9.2 – 17.2	N/A	N/A	N	ppb	Byproduct of drinking water disinfection
2019	HAA9* - nine haloacetic acids (ppb)	39.9	20.9 – 39.9	N/A	N/A	N	ppb	Byproduct of drinking water disinfection

Unregulated contaminants are those for which EPA has not established drinking water standards. The purpose of unregulated contaminant monitoring is to assist EPA in determining the occurrence of unregulated contaminants in drinking water and whether future regulation is warranted. Any unregulated contaminants detected are reported in the table above. For additional information and data visit:

<https://www.epa.gov/dwucmr/fourth-unregulated-contaminant-monitoring-rule>, or call the Safe Drinking Water Hotline at 800-426-4791.

*These parameters were monitored as required by EPA's Fourth Unregulated Contaminant Monitoring Rule (UCMR 4).